

On the Negative Pell Equation

$$y^2 = 7x^2 - 12$$

K.Meena

Former VC, Bharathidasan University, Trichy-620024, India.

M.A.Gopalan

Professor, Department of Mathematics, SIGC, Trichy-620002, India.

A.Jesintha mary

M.PhilScholar, Department of Mathematics, SIGC, Trichy-620002, India.

Abstract – The binary quadratic equation represented by the negative pellian $y^2 = 7x^2 - 12$ is analyzed for its distinct integer solutions. A few interesting relations among the solutions are given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas and special Pythagorean triangle.

Index Terms – Binary quadratic, hyperbola, parabola, integral solutions, Pell equation.

2010 mathematics subject classification: 11D09.

1. INTRODUCTION

Diophantine equation of the form $y^2 = Dx^2 + 1$, where D is a given positive square-free integer is known as Pell equation and is one of the oldest Diophantine equation that has interesting mathematicians all over the world, since antiquity, J.L. Lagrange proved that the positive Pell equation $y^2 = Dx^2 + 1$ has infinitely many distinct integer solutions whereas the negative Pell equation $y^2 = Dx^2 - 1$ does not always have a solution. In [1] an elementary proof of a criterium for the solvability of the Pell equation $x^2 - Dy^2 = -1$ where D is any positive non-square integer has been presented. For examples the equations $y^2 = 3x^2 - 1$, $y^2 = 7x^2 - 4$ have no integer solutions whereas $y^2 = 65x^2 - 1$, $y^2 = 202x^2 - 1$ have integer solutions. In this context, one may refer [2-17]. More specifically, one may refer “The on-line Encyclopedia of integersequences” (A031396, A130226, A031398) for values of D for which the negative Pell equation $y^2 = Dx^2 - 1$ is solvable or not. In this communication, the negative Pell equation given by $y^2 = 7x^2 - 12$ is considered and infinitely many integer solutions are obtained. A few interesting relations among the solutions are presented.

2. METHOD OF ANALYSIS

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 7x^2 - 12 \quad (1)$$

Whose smallest positive integer solution $x_0 = 2, y_0 = 4$

To obtain the other solutions of (1), consider the Pell equation $y^2 = 7x^2 + 1$ whose solution is given by

$$\tilde{y}_n = \frac{1}{2} f_n, \tilde{x}_n = \frac{1}{2\sqrt{7}} g_n$$

Where,

$$f_n = (8 + 3\sqrt{7})^{n+1} + (8 - 3\sqrt{7})^{n+1}$$

$$g_n = (8 + 3\sqrt{7})^{n+1} - (8 - 3\sqrt{7})^{n+1}$$

Applying Brahmagupta Lemma between (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the other integer solutions of (1) are given by

$$\sqrt{7}x_{n+1} = \sqrt{7}f_n + 2g_n$$

$$y_{n+1} = 2f_n + \sqrt{7}g_n$$

The recurrence relations satisfied by the solutions x & y are given by

$$x_{n+3} - 16x_{n+2} + x_{n+1} = 0,$$

$$y_{n+3} - 16y_{n+2} + y_{n+1} = 0, n = 0, 1, 2, 3, \dots$$

Some numerical examples of x & y satisfying (1) are given in the Table 1 below

Table 1: Examples

n	x_n	y_n
0	2	4
1	28	74
2	446	1180
3	7108	18806
4	113282	299716

From the above table, we observe some interesting relations among the solutions which are presented below

- Both x_n & y_n values are even.
- Each of the following expressions is a nasty number:

$$\diamond \frac{74x_{2n+2} - 4x_{2n+4} + 36}{3}$$

$$\diamond \frac{295x_{2n+2} - x_{2n+4} + 144}{12}$$

$$\diamond \frac{49x_{2n+2} - y_{2n+3} + 24}{2}$$

$$\diamond \frac{3122x_{2n+2} - 4y_{2n+4} + 1524}{127}$$

$$\diamond \frac{7x_{2n+3} - 37y_{2n+2} + 48}{4}$$

$$\diamond 196x_{2n+3} - 74y_{2n+3} + 12$$

$$\diamond \frac{1561x_{2n+3} - 37y_{2n+4} + 48}{4}$$

$$\diamond \frac{14x_{2n+4} - 1180y_{2n+2} + 1524}{127}$$

$$\diamond \frac{98x_{2n+4} - 590y_{2n+3} + 48}{4}$$

$$\diamond 3122x_{2n+4} - 1180y_{2n+4} + 12$$

$$\diamond \frac{1180x_{2n+3} - 74x_{2n+4} + 36}{3}$$

$$\diamond \frac{2y_{2n+3} - 28y_{2n+2} + 36}{3}$$

$$\diamond \frac{y_{n+3} - 223y_{n+1} + 288}{24}$$

$$\diamond \frac{28y_{2n+4} - 446y_{2n+3} + 36}{3}$$

- Each of the following expressions is a cubical integer:

$$\diamond 3[37x_{3n+3} - 2x_{3n+4} + 3(37x_{n+1} - 2x_{n+2})]$$

$$\diamond 5184[295x_{3n+3} - x_{3n+5} + 3(295x_{n+1} - x_{n+3})]$$

$$\diamond 144[49x_{3n+3} - y_{3n+4} + 3(49x_{n+1} - y_{n+2})]$$

$$\diamond 145161[1561x_{3n+3} - 2y_{3n+5} + 3(1561x_{n+1} - 2y_{n+3})]$$

$$\diamond 576[7x_{3n+4} - 37y_{3n+3} + 3(7x_{n+2} - 37y_{n+1})]$$

$$\diamond 9[98x_{3n+4} - 37y_{3n+4} + 3(98x_{n+2} - 37y_{n+2})]$$

$$\diamond 576[1561x_{3n+4} - 37y_{3n+5} + 3(1561x_{n+2} - 37y_{n+3})]$$

$$\diamond 145161[7x_{3n+5} - 590y_{3n+3} + 3(7x_{n+3} - 590y_{n+1})]$$

$$\diamond 576[98x_{3n+5} - 590y_{3n+4} + 3(98x_{n+3} - 590y_{n+2})]$$

$$\diamond 9[1561x_{3n+5} - 590y_{3n+5} + 3(1561x_{n+3} - 590y_{n+3})]$$

$$\diamond 3[590x_{3n+4} - 37x_{3n+5} + 3(590x_{n+2} - 37x_{n+3})]$$

$$\diamond 3[y_{3n+4} - 14y_{3n+3} + 3(y_{n+2} - 14y_{n+1})]$$

$$\diamond 20736[y_{3n+5} - 223y_{3n+3} + 3(y_{n+3} - 223y_{n+1})]$$

$$\diamond 3[14y_{3n+5} - 223y_{3n+4} + 3(14y_{n+3} - 223y_{n+2})]$$

4. Relations among the Solutions:

$$\begin{aligned}
& \diamond 9x_{n+3} = -9x_{n+1} + 144x_{n+2} \\
& \diamond 9y_{n+1} = -24x_{n+1} + 3x_{n+2} \\
& \diamond 9y_{n+2} = -3x_{n+1} + 24x_{n+2} \\
& \diamond 9y_{n+3} = -24x_{n+1} + 381x_{n+2} \\
& \diamond 144y_{n+1} = -381x_{n+1} + 3x_{n+3} \\
& \diamond 144y_{n+3} = -3x_{n+1} + 381x_{n+3} \\
& \diamond 24x_{n+3} = 24x_{n+1} + 144y_{n+2} \\
& \diamond 63x_{n+1} = 3y_{n+2} - 24y_{n+1} \\
& \diamond 24y_{n+3} = 63x_{n+1} + 381y_{n+2} \\
& \diamond 1008x_{n+1} = 3y_{n+3} - 381y_{n+1} \\
& \diamond 24x_{n+3} = 381x_{n+2} + 9y_{n+1}
\end{aligned}$$

$$\begin{aligned}
& \diamond 24y_{n+2} = 63x_{n+2} + 3y_{n+1} \\
& \diamond 24y_{n+3} = 1008x_{n+2} + 24y_{n+1} \\
& \diamond 3x_{n+3} = 24x_{n+2} + 9y_{n+2} \\
& \diamond 3y_{n+3} = 63x_{n+2} + 24y_{n+2} \\
& \diamond 24x_{n+3} = 3x_{n+2} + 9y_{n+3} \\
& \diamond 381y_{n+2} = 63x_{n+3} + 24y_{n+1} \\
& \diamond 3y_{n+1} = -1008x_{n+3} + 381y_{n+3} \\
& \diamond 3y_{n+2} = -63x_{n+3} + 24y_{n+3} \\
& \diamond 9y_{n+3} = 144y_{n+2} - 9y_{n+1}
\end{aligned}$$

3. REMARKABLE OBSERVATION

- I. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in the table 2 below.

Table 2: Hyperbolas

S. No	(X, Y)	Hyperbola
1	$(x_{n+2} - 14x_{n+1}, 37x_{n+1} - 2x_{n+2})$	$Y^2 - 7X^2 = 324$
2	$(x_{n+3} - 223x_{n+1}, 295x_{n+1} - x_{n+3})$	$4Y^2 - 7X^2 = 82944$
3	$(y_{n+2} - 37x_{n+1}, 49x_{n+1} - y_{n+2})$	$4Y^2 - 7X^2 = 2304$
4	$(y_{n+3} - 590x_{n+1}, 1561x_{n+1} - 2y_{n+3})$	$Y^2 - 7X^2 = 580644$
5	$(7y_{n+1} - x_{n+2}, 7x_{n+2} - 37y_{n+1})$	$Y^2 - 28X^2 = 2304$
6	$(14y_{n+2} - 37x_{n+2}, 98x_{n+2} - 37y_{n+2})$	$Y^2 - 7X^2 = 36$
7	$(14y_{n+3} - 590x_{n+2}, 1561x_{n+2} - 37y_{n+3})$	$Y^2 - 7X^2 = 2304$
8	$(223y_{n+1} - 2x_{n+3}, 7x_{n+3} - 590y_{n+1})$	$Y^2 - 7X^2 = 580644$
9	$(223y_{n+2} - 37x_{n+3}, 98x_{n+3} - 590y_{n+2})$	$Y^2 - 7X^2 = 2304$

10	$(223y_{n+3} - 590x_{n+3}, 1561x_{n+3} - 590y_{n+3})$	$Y^2 - 7X^2 = 36$
11	$(14x_{n+3} - 223x_{n+2}, 590x_{n+2} - 37x_{n+3})$	$Y^2 - 7X^2 = 324$
12	$(37y_{n+1} - 2y_{n+2}, y_{n+2} - 14y_{n+1})$	$7Y^2 - X^2 = 2268$
13	$(295y_{n+1} - y_{n+3}, y_{n+3} - 223y_{n+1})$	$36288Y^2 - 20736X^2 = 3009871872$
14	$(590y_{n+2} - 37y_{n+3}, 14y_{n+3} - 223y_{n+2})$	$7Y^2 - X^2 = 2268$

II. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in the table 3 below.

Table 3: Parabolas

S. No	(X, Y)	Parabola
1	$(x_{n+2} - 14x_{n+1}, 37x_{2n+2} - 2x_{2n+4})$	$7X^2 = 9Y - 162$
2	$(x_{n+3} - 223x_{n+1}, 295x_{2n+2} - x_{2n+4})$	$7X^2 = 288Y - 41472$
3	$(y_{n+2} - 37x_{n+1}, 49x_{2n+2} - y_{2n+3})$	$7X^2 = 48Y - 1152$
4	$(y_{n+3} - 590x_{n+1}, 1561x_{2n+2} - 2y_{2n+4})$	$7X^2 = 381Y - 290322$
5	$(7y_{n+1} - x_{n+2}, 7x_{2n+3} - 37y_{2n+2})$	$7X^2 = 6Y - 288$
6	$(14y_{n+2} - 37x_{n+2}, 98x_{2n+3} - 37y_{2n+3})$	$7X^2 = 3Y - 18$
7	$(14y_{n+3} - 590x_{n+2}, 1561x_{2n+3} - 37y_{2n+4})$	$7X^2 = 24Y - 1152$
8	$(223y_{n+1} - 2x_{n+3}, 7x_{2n+4} - 590y_{2n+2})$	$7X^2 = 381Y - 290322$
9	$(223y_{n+2} - 37x_{n+3}, 98x_{2n+4} - 590y_{2n+3})$	$7X^2 = 24Y - 1152$
10	$(223y_{n+3} - 590x_{n+3}, 1561x_{2n+4} - 590y_{2n+4})$	$7X^2 = 3Y - 18$
11	$(14x_{n+3} - 223x_{n+2}, 590x_{2n+3} - 37x_{2n+4})$	$7X^2 = 9Y - 162$
12	$(37y_{n+1} - 2y_{n+2}, y_{2n+3} - 14y_{2n+2})$	$X^2 = 63Y - 1134$
13	$(295y_{n+1} - y_{n+3}, y_{2n+4} - 223y_{2n+2})$	$X^2 = 252Y - 72576$
14	$(590y_{n+2} - 37y_{n+3}, 14y_{2n+4} - 223y_{2n+3})$	$X^2 = 63Y - 1134$

III. Consider $m = x_{n+1} + y_{n+1}, n = x_{n+1}$ Observe that $m > n > 0$. Treat m, n as the generators of the

Pythagorean triangle $T(\alpha, \beta, \gamma)$, where $\alpha = 2mn, \beta = m^2 - n^2, \gamma = m^2 + n^2$

Then the following interesting relations are observed:

$$\triangleright 2\alpha - 7\beta + 5\gamma = 24$$

$$\triangleright 9\alpha - 2\gamma - \frac{28A}{P} = 24$$

$$\triangleright \frac{2A}{P} = x_{n+1}y_{n+1}$$

4. CONCLUSION

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the negative Pell equation $y^2 = 7x^2 - 12$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of negative Pell equations and determine their integer solutions along with suitable properties.

REFERENCES

- [1] Mollin RA., AnithaSrinivasan., A Note on the negative Pell Equation, International Journal of Algebra. 2010;4(19):919-922.
- [2] Whitford EE., Some Solutions of the Pellian Equations $x^2 - Ay^2 = \pm 4$ JSTOR: Annals of Mathematics, Second Series 1913-1914; Volume15, Issue1/4:157-160.
- [3] S. AhmetTekcan., Betw Gezer and Osman Bizim, "On the Integer Solutions of the Pell Equation $x^2 - dy^2 = 2^t$ ", World Academy of Science, Engineering and Technology 2007;1:522-526.
- [4] AhmetTekcan., The Pell Equation $x^2 - (k^2 - k)y^2 = 2^t$, World Academy of Science, Engineering and Technology 2008;19:697-701.
- [5] MerveGuney., Solutions of the Pell equation $x^2 - (a^2b^2 + 2b)y^2 = 2^t$, when $N \in (\pm 1, \pm 4)$, MathematicaAterna 2012;2(7):629-638.
- [6] V.Sangeetha., M.A Gopalan., ManjuSomanath., "On the Integral Solutions of the Pell Equation $x^2 = 13y^2 - 3^t$ ", International Journal of Applied Mathematical Research. 2014;3(1):58-61.
- [7] M.AGopalan., G. Sumathi., S.Vidhyalakshmi., Observations on the hyperbola $x^2 = 19y^2 - 3^t$, Scholars Journal of the Engineering and Technology. 2014;2(2A):152-155.
- [8] M.A Gopalan., S.Vidhyalakshmi., A. Kavitha., "On The Integral Solutions of the Binary Quadratic Equation $x^2 = 15y^2 - 11^t$ ", Scholars Journal of the Engineering and Technology. 2014;2(2A):156-158.
- [9] S.Vidhyalakshmi., V. Krithika., K. Agalya., "On The Negative Pell Equation $y^2 = 80x^2 - 31$ ", Proceedings of the National Conference on MATAM, Dindugal 2015, 4-9.
- [10] K. Meena., M.A Gopalan., R. Karthika., "On The Negative Pell Equation $y^2 = 7x^2 - 3$ ", International Journal of Multidisciplinary Research and Development, Vol 2; Issue (12) Dec 2015:390-392.
- [11] M.A Gopalan., S. Vidhyalakshmi., V.Pandichelvi., P.Sivakamasundari., C. Priyadharsini., "On The Negative Pell Equation $y^2 = 45x^2 - 11$ ", International Journal of Pure Mathematical Science 2016; Vol -16:30-36.
- [12] K.Meena., S.Vidhyalakshmi., A.Rukmani., "On The Negative Pell Equation $y^2 = 31x^2 - 6$ ", Universe of Emerging Technologies and Science, Dec 2015; Volume II, Issue XII:1-4.
- [13] K.Meena., M.A Gopalan., E.Bhuvaneshwari., "On The Negative Pell Equation $y^2 = 60x^2 - 15$ ", Scholars Bulletin, Dec 2015; Volume -1, Issue -11:310-316.
- [14] M.A Gopalan., S.Vidhyalakshmi., R. Presenna., M. Vanitha., "Observation On The Negative Pell Equation $y^2 = 180x^2 - 11$ ", Universal Journal of Mathematics, Volume 2, Number 1:41-45.
- [15] S. Vidhyalakshmi., M.A Gopalan., E. Premalatha., S. Sofia christinal., "On The Negative Pell Equation $y^2 = 72x^2 - 8$ ", International Journal of Emerging Technologies in Engineering Research (IJETER), Volume 4, Issue 2, Feb (2016), 25-28.
- [16] M.A Gopalan., S. Vidhyalakshmi., N. Thiruniraiselvi., "A Study On The Hyperbola $y^2 = 8x^2 - 31$ ", International Journal of Latest Research in Science and Technology, Vol 2(1), 454-456, Jan -Feb 2013.
- [17] M.A Gopalan., S. Vidhyalakshmi., T.R Usha Rani and S. Mallika., "Observation on $y^2 = 12x^2 - 3$ ", Bessel Journal of Math, 2012, 2(3), 153-158