# On The Negative Pell Equation
$$y^2 = 40x^2 - 4$$

K. Meena

Former VC, Bharathidasan University, Trichy-620 024, India.


M.A.Gopalan

Professor, Department of Mathematics, SIGC, Trichy-620 002, India.


T.Swetha

M. Phil Scholar, Department of Mathematics, SIGC, Trichy-620 002, India.

**Abstract –** **The binary quadratic equation represented by the negative pellian** $y^2 = 40x^2 - 4$ **isanalyzed for its distinct integer solutions. A few interesting relations among the solutions are also given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbola, parabola and special Pythagorean triangle.**

**Index Terms – Binary quadratic, hyperbola, parabola, integral solutions, Pell equations.**

**2010 mathematics subject classification: 11D09.**

## 1. INTRODUCTION

Diophantine equation of the form $y^2 = Dx^2 + 1$, where D is a given positive square – free integer is known as Pell equation and is one of the oldest Diophantine equation that has interesting mathematicians all over the world, since antiquity, J.L. Lagrange proved that the positive Pell equation $y^2 = Dx^2 + 1$ has infinitely many distinct integer solutions where as the negative Pell equation $y^2 = Dx^2 - 1$ does not always have a solution. In [1], an elementary proof of a criterium for the solvability of the Pell equation $X^2 - Dy^2 = -1$ where D is any positive non - square integer has been presented. For examples

the equations $y^2 = 3x^2 - 1$, $y^2 = 7x^2 - 4$ have no integer solution whereas $y^2 = 54x^2 - 1$, $y^2 = 202x^2 - 1$ have integer solutions. In this context, one may refer [2-17]. More specifically, "The on – line Encyclopedia of integer sequences" (A031396, A130226, A031398) for values of D for which the negative Pell equation $y^2 = Dx^2 - 1$ is solvable or not. In this communication, the negative Pell equation given by $y^2 = 40x^2 - 4$ is considered and infinitely many integer solutions are obtained. A few interesting relations among the solutions are presented.

## 2. METHOD OF ANALYSIS

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 40x^2 - 4 \qquad (1)$$

Whose smallest positive integer solution is $x_0 = 1$, $y_0 = 6$.

To obtain the other solutions of (1), consider the pell equation $y^2 = 40x^2 + 1$, whose solution is given by

$$\tilde{x}_n = \frac{1}{2\sqrt{40}} g_n , \tilde{y}_n = \frac{1}{2} f_n$$

Where,

$$f_n = \left(19 + 3\sqrt{40}\right)^{n+1} + \left(19 - 3\sqrt{40}\right)^{n+1}$$
$$g_n = \left(19 + 3\sqrt{40}\right)^{n+1} - \left(19 - 3\sqrt{40}\right)^{n+1}$$

Applying Brahamagupta lemma between $(x_0, y_0)$ and $(\tilde{x}_n, \tilde{y}_n)$ the other integer solutions of (1) are given by

$$x_{n+1} = \frac{1}{2} f_n + \frac{3}{\sqrt{40}} g_n$$

$$y_{n+1} = 3 f_n + \frac{\sqrt{40}}{2} g_n$$

The recurrence relations satisfied by the solutions $x$ and y are given by

$$x_{n+1} - 38 x_{n+2} + x_{n+3} = 0$$

$$y_{n+1} - 38 y_{n+2} + y_{n+3} = 0$$

Some numerical examples $x$ and $y$ satisfying (1) are given in the table (1) below.

Table 1: Examples

| n | $x_n$ | $y_n$ |
|---|-------|-------|
| 0 | 1 | 6 |
| 1 | 37 | 234 |
| 2 | 1405 | 8886 |
| 3 | 53353 | 337434 |

From the above table, we observe some interesting relations among the solutions which are presented below.

1. $x_n$ values is always odd.

2. $y_n$ values is always even.

3. Each of the following expressions is a nasty number:

❖   $y_{n+2} - 37\, y_{n+1} + 12$

❖   $234\, x_{2n+2} - 6\, x_{2n+3} + 12$

❖   $37\, y_{2n+4} - 1405\, y_{2n+3} + 12$

❖   $8886\, x_{2n+3} - 234\, x_{2n+4} + 12$

❖   $4440\, x_{2n+3} - 702\, y_{2n+3} + 12$

❖   $168600\, x_{2n+4} - 26658\, y_{2n+4} + 12$

❖   $\dfrac{y_{2n+4} - 1405\, y_{2n+2} + 456}{38}$

❖   $\dfrac{4443\, x_{2n+2} - 3\, x_{2n+4} + 228}{19}$

❖   $\dfrac{4440\, x_{2n+2} - 18\, y_{2n+3} + 228}{19}$

❖   $\dfrac{120\, x_{2n+3} - 702\, y_{2n+2} + 228}{19}$

❖   $\dfrac{168600\, x_{2n+3} - 702\, y_{2n+4} + 228}{19}$

❖   $\dfrac{4440\, x_{2n+4} - 26658\, y_{2n+3} + 228}{19}$

❖   $\dfrac{168600\, x_{2n+2} - 18\, y_{2n+4} + 8652}{721}$

❖   $\dfrac{120\, x_{2n+4} - 26658\, y_{2n+2} + 8652}{721}$

4. Each of the following expressions is a cubical integers:

❖   $(39x_{3n+3} - x_{3n+4}) + 3(39x_{n+1} - x_{n+2})$

❖   $12996(4443x_{3n+3} - 3x_{3n+5})$
      $+ 38988(4443x_{n+1} - 3x_{n+3})$

❖   $361(740x_{3n+3} - 3y_{3n+4})$
      $+ 1083(740x_{n+1} - 3y_{n+2})$

❖   $519841(28100x_{3n+3} - 3y_{3n+5})$
      $+ 1559523(28100x_{n+1} - 3y_{n+3})$

❖   $9(4443x_{3n+4} - 117x_{3n+5})$
      $+ 27(4443x_{n+2} - 117x_{n+3})$

❖   $361(20x_{3n+4} - 117y_{3n+3})$
      $+ 1083(20x_{n+2} - 117y_{n+1})$

❖   $(740x_{3n+4} - 117y_{3n+4})$
      $+ 3(740\, x_{n+2} - 117y_{n+2})$

❖   $361(28100x_{3n+4} - 117y_{3n+5})$
      $+ 1083(28100x_{n+2} - 117y_{n+3})$

❖   $519841(20x_{3n+5} - 4443y_{3n+3})$
      $+ 1559523(20x_{n+3} - 4443y_{n+1})$

❖   $361(740x_{3n+5} - 4443y_{3n+4})$
      $+ 1083(740x_{n+3} - 4443y_{n+2})$

❖   $(28100x_{3n+5} - 4443y_{3n+5})$
      $+ 3(28100x_{n+3} - 4443y_{n+3})$

❖   $36(y_{3n+4} - 37y_{3n+3})$
      $+ 108(y_{n+2} - 37y_{n+1})$

❖   $51984(y_{3n+5} - 1405y_{3n+3})$
      $+ 155952(y_{n+3} - 1405y_{n+1})$

- ❖ $36\left(37x_{3n+5} - 1405y_{3n+4}\right)$
  $+108\left(37x_{n+3} - 1405y_{n+2}\right)$

5.  Relations among the solutions:

- ❖ $3y_{n+1} = x_{n+2} - 19x_{n+1}$

- ❖ $6y_{n+2} = 38x_{n+2} - 2x_{n+1}$

- ❖ $3y_{n+3} = 721x_{n+2} - 19x_{n+1}$

- ❖ $114y_{n+1} = x_{n+3} - 721x_{n+1}$

- ❖ $6y_{n+2} = x_{n+3} - x_{n+1}$

- ❖ $114y_{n+3} = 721x_{n+3} - x_{n+1}$

- ❖ $19y_{n+1} = y_{n+2} - 120x_{n+1}$

- ❖ $19y_{n+3} = 120x_{n+1} + 721y_{n+2}$

- ❖ $721y_{n+1} = y_{n+3} - 4560x_{n+1}$

- ❖ $3y_{n+1} = 19x_{n+3} - 721x_{n+2}$

- ❖ $3y_{n+2} = x_{n+3} - 19x_{n+2}$

- ❖ $3y_{n+3} = 19x_{n+3} - x_{n+2}$

- ❖ $19y_{n+2} = 120x_{n+2} + y_{n+1}$

- ❖ $y_{n+3} = 240x_{n+2} + y_{n+1}$

- ❖ $y_{n+3} = 120x_{n+2} + 19y_{n+2}$

- ❖ $721y_{n+2} = 120x_{n+3} + 19y_{n+1}$

- ❖ $721y_{n+3} = 4560x_{n+3} + y_{n+1}$
  $19y_{n+3} = 120x_{n+3} + y_{n+2}$

## 3. REMARKABLE OBSERVATIONS

I.  Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in the Table 2 below.

II. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in the Table 3 below.

Table 2: Hyperbolas

| S. no | (X,Y) | Hyperbolas |
|---|---|---|
| 1 | $\left(x_{n+2} - 37x_{n+1}, \, 39x_{n+1} - x_{n+2}\right)$ | $9Y^2 - 10X^2 = 36$ |
| 2 | $\left(x_{n+3} - 1405x_{n+1}, \, 8886x_{n+1} - 6x_{n+3}\right)$ | $Y^2 - 10X^2 = 51984$ |
| 3 | $\left(y_{n+2} - 234x_{n+1}, \, 740x_{n+1} - 3y_{n+2}\right)$ | $Y^2 - 10X^2 = 1444$ |
| 4 | $\left(y_{n+3} - 8886x_{n+1}, \, 28100x_{n+1} - 3y_{n+3}\right)$ | $Y^2 - 10X^2 = 2079364$ |
| 5 | $\left(37x_{n+3} - 1405x_{n+2}, \, 4443x_{n+2} - 117x_{n+3}\right)$ | $Y^2 - 10X^2 = 36$ |
| 6 | $\left(37y_{n+1} - 6x_{n+2}, \, 20x_{n+2} - 117y_{n+1}\right)$ | $Y^2 - 10X^2 = 1444$ |

| 7 | $(37y_{n+2} - 234x_{n+2}, 740x_{n+2} - 117y_{n+2})$ | $Y^2 - 10X^2 = 4$ |
| 8 | $(37y_{n+3} - 8886x_{n+2}, 28100x_{n+2} - 117y_{n+3})$ | $Y^2 - 10X^2 = 1444$ |
| 9 | $(1405y_{n+1} - 6x_{n+3}, 20x_{n+3} - 4443y_{n+1})$ | $Y^2 - 10X^2 = 2079364$ |
| 10 | $(1405y_{n+2} - 234x_{n+3}, 740x_{n+3} - 4443y_{n+2})$ | $Y^2 - 10X^2 = 1444$ |
| 11 | $(1405y_{n+3} - 8886x_{n+3}, 28100x_{n+3} - 4443y_{n+3})$ | $Y^2 - 10X^2 = 4$ |
| 12 | $(117y_{n+1} - 3y_{n+2}, y_{n+2} - 37y_{n+1})$ | $10Y^2 - X^2 = 1440$ |
| 13 | $(4443y_{n+1} - 3y_{n+3}, y_{n+3} - 1405y_{n+1})$ | $10Y^2 - X^2 = 2079360$ |
| 14 | $(4443y_{n+2} - 117y_{n+3}, 37y_{n+3} - 1405y_{n+2})$ | $10Y^2 - X^2 = 1440$ |

Table 3: Parabolas

| S. no | (X,Y) | Parabolas |
|---|---|---|
| 1 | $(x_{n+2} - 37x_{n+1}, 39x_{2n+2} - x_{2n+3} + 2)$ | $10X^2 = 9Y - 36$ |
| 2 | $(x_{n+3} - 1405x_{n+1}, 8886x_{2n+2} - 6x_{2n+4} + 456)$ | $10X^2 = 114Y - 51984$ |
| 3 | $(y_{n+2} - 234x_{n+1}, 740x_{2n+2} - 3y_{2n+3} + 38)$ | $10X^2 = 19Y - 1444$ |
| 4 | $(y_{n+3} - 8886x_{n+1}, 28100x_{2n+2} - 3y_{2n+4} + 1442)$ | $10X^2 = 721Y - 2079364$ |
| 5 | $(37x_{n+3} - 1405x_{n+2}, 4443x_{2n+3} - 117x_{2n+4} + 6)$ | $10X^2 = 3Y - 36$ |
| 6 | $(37y_{n+1} - 6x_{n+2}, 20x_{2n+3} - 117y_{2n+2} + 38)$ | $10X^2 = 19Y - 1444$ |

| 7 | $\left(37y_{n+2} - 234x_{n+2}, 740x_{2n+3} - 117y_{2n+3} + 2\right)$ | $10X^2 = Y - 4$ |
|---|---|---|
| 8 | $\left(37y_{n+3} - 8886x_{n+2}, 28100x_{2n+3} - 117y_{2n+4} + 38\right)$ | $10X^2 = 19Y - 1444$ |
| 9 | $\left(1405y_{n+1} - 6x_{n+3}, 20x_{2n+4} - 4443y_{2n+2} + 1442\right)$ | $10X^2 = 721Y - 2079364$ |
| 10 | $\left(1405y_{n+2} - 234x_{n+3}, 740x_{2n+4} - 4443y_{2n+3} + 38\right)$ | $10X^2 = 19Y - 1444$ |
| 11 | $\left(1405y_{n+3} - 8886x_{n+3}, 28100x_{2n+4} - 4443y_{2n+4} + 2\right)$ | $10X^2 = Y - 4$ |
| 12 | $\left(117y_{n+1} - 3y_{n+2}, y_{2n+3} - 37y_{2n+2} + 12\right)$ | $X^2 = 60Y - 1440$ |
| 13 | $\left(4443y_{n+1} - 3y_{n+3}, y_{2n+4} - 1405y_{2n+2} + 456\right)$ | $X^2 = 2280Y - 2079360$ |
| 14 | $\left(4443y_{n+2} - 117y_{n+3}, 37y_{2n+4} - 1405y_{2n+3} + 12\right)$ | $X^2 = 160Y - 1440$ |

III.   Consider $p = x + y$, $q = x$. Observe that $p > q > 0$. Treat $p, q$ as the generators of the Pythagorean triangle $T(X, Y, Z)$,

where $X = 2pq, Y = p^2 - q^2, Z = p^2 + q^2$.

Let A and P denote the area and perimeter of the Pythagorean triangle.

Then the following interesting relations are observed:

a)      $X + 19Y - 20Z = 4$

b)      $21X - Z - \dfrac{80A}{P} = 4$

c)      $xy = \dfrac{2A}{P}$

## 4. CONCLUSION

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the negative pell equation $y^2 = 40x^2 - 4$. As the binary quadratic

Diophantine equations are rich in variety, one may search for the other choices of negative pell equations and determine their integer solutions along with suitable properties.

### REFERENCES

[1]   Mollin RA., Anithasrinivasan., A note on the Negative pell Equation, International Journal of Algebra, 2010; 4(19):919-922.

[2]   Whitford EE., Some Solutions of the Pellian Equations $x^2 - Ay^2 = \pm 4$ JSTOR: Annals of Mathematics, Second Series 1913-1914; vol 15, No ¼, 157-160.

[3]   S. AhmetTekcan.,Betw Gezer and Osman Bizim., "On the Integer Solutions of the Pell Equation $x^2 - dy^2 = 2^t$", World Academy of Science, Engineering and Technology 2007; 1:522-526.

[4]   AhmetTekcan., The Pell Equation $x^2 - (k^2 - k)y^2 = 2^t$. World Academy of Science, Engineering and Technology 2008; 19:697-701.

[5]   MerveGuney., The Pell equation $x^2 - (a^2b^2 + 2b)y^2 = 2^t$, when $N \in (\pm 1, \pm 4)$, MathematicaAterna 2012; 2(7):629-638.

[6]   V. Sangeetha., M.A. Gopalan., ManjuSomanath., "On the Integral Solutions of the pell equation $x^2 = 13y^2 - 3^t$", International Journal of Applied Mathematical Research, 2014; 3(1):58-61.

[7]   M.A. Gopalan., G. Sumathi., S. Vidhayalakshmi.," Observations on the hyperbola $x^2 = 19y^2 - 3^t$", Scholars Journal of the Engineering and Technology, 2014; 2(2A): 152-155.

[8]   M.A.Gopalan., S. Vidhyalakshmi., A. Kavitha., "On the Integral Solution of the Binary Quadratic Equation $x^2 = 15y^2 - 11^2$", Scholars Journal of the Engineering and Technology, 2014; 2(2A): 156-158.

[9]   S.Vidhyalakshmi., V.Krithika., K.Agalya., "On the Negative Pell Equation, $y^2 = 80x^2 - 31$" Proceedings of the National Conference on MATAM Dindugal, 2015, 4-9.

[10]  K. Meena., M.A. Gopalan., R. Karthika., "On the Negative Pell Equation $y^2 = 10x^2 - 6$", International Journal of Multidisciplinary Research and Development, volume2; Issue12; December 2015: 390-392.

[11]  M.A. Gopalan., S.Vidhyalakshmi., V. Pandichelvi., P. Sivakamasundari.,C. Priyadharsini., "On the Negative Pell Equation $y^2 = 45x^2 - 11$", International Journal of pure Mathematical Science, 2016; volume-16: 30-36.

[12]  K. Meena., S. Vidhyalakshmi., A. Rukmani., "On the Negative Pell Equation $y^2 = 31x^2 - 6$", Universe of Emerging Technologies and Science, December 2015;volume II, Issue XII: 1-4.

[13]  K. Meena., M.A. Gopalan., E. Bhuvaneswari., "On the Negative Pell Equation $y^2 = 60x^2 - 15$", Scholars Bulletin, December 2015; volume-1, Issue - 11: 310-316.

[14]  M.A. Gopalan., S. Vidhyalakshmi., R. Presenna., M. Vanitha., "Observations on the Negative Pell Equation $y^2 = 180x^2 - 11$", Universal Journal of Mathematics, volume-2, Number 1: 41-45.

[15]  S. Vidhyalakshmi., M.A. Gopalan., E. Premalatha., S. Sofia christinal., "On the Negative Pell Equation $y^2 = 72x^2 - 8$", International Journal of Emerging Technologies in Engineering Research(IJETER), volume 4, Issue 2, Feburary 2016, 25-28.

[16]  M.A. Gopalan., S. Vidhyalakshmi., N. Thiruniraiselvi., "A study on the Hyperbola $y^2 = 8x^2 - 31$", International Journal of Latest Research in Science and Technology, February 2013,Volume 2(1),454-456.

[17]  M.A. Gopalan., S. Vidhyalakshmi., T.R.UshaRani.,andS.Mallika., "Observations on $y^2 = 12x^2 - 3$", Bessel Journal of math, 2012, Volume 2(3), 153-158.